

Including personality in e-learning design

Nicholas Caporusso, *IMT - Institutions, Markets,*

Technologies and QIRIS - Quality Innovation Research Instruction Safety, Italy

Revised version of the paper presented at GUIDE International Workshop 18 - 19 March 2010, Rome

ABSTRACT. Despite the advances in the context of Adaptive and Intelligent Web-Based Educational Systems, currently, almost all software for e-learning usually present contents in exactly the same fashion to all users, without taking into account their different learning styles. As a result, unstructured teaching models might gradually lead users to a chronic process of exclusion from the traditional approach to learning based on the interaction between the preceptor and the student. This paper introduces a novel approach that includes individuals' psychological characteristics in e-learning, so that applications can adapt the information presentation layer to the cognitive, perceptual and attitudinal requirements of each user. The design of the proposed framework is based on three major psychological theories, and it is consistent with current models of Adaptive e-learning applications. Our system aims at enriching the interaction dialogue by tailoring applications on individual styles. This may allow users enhance their learning performances and it may help them achieve better results, more quickly.

KEYWORDS: *Adaptive e-learning applications, Human-Centered Design Discipline, Learning Manager, Psychological users profile, User e-Learning Model*

The prerequisite for designing usable user interfaces is the deep knowledge of the different characteristics of final users. However, traditionally, both software engineers and application programmers aimed at standardizing the development process, including the design of the Graphical User Interface (GUI).

Recently, thanks to the contribution of Human-Computer Interaction (HCI), the study of users' characteristics was introduced as one of the key aspects in software development. As a result, nowadays the attention to diversity among individuals is increasing, and Human-Centered Design has emerged as a crucial discipline. One step forward, the Participatory Design (Weinberg, Stephen, 2002) methodology proactively includes potential users in project teams, from the beginning of the process, as if they were developers. Conversely, Software Shaping Workshops (Costabile et al., 2006) have been conceived to provide final users with tools that allow

them to customize the interface of the product according to their specific needs, once it has been re-leased (reactively). Depending on the type of application, many personalization options are available; usually software also have tailoring tools which translate (either implicitly or explicitly) users' preferences into features that render interaction more spontaneous, increasing productivity. Moreover, the look and feel of almost all GUIs can be changed at run time, without any modification to the application code. As a result, current software has multiple user interfaces.

Nonetheless, of all the characteristics included in the design, users' personalities are among the last, or it is not addressed at all. Although it is incorporated in a few applications, this type of requirement is implemented by programmers through formal specification of individual features; user profiles are either configured manually or by explicitly setting options in the information presentation layer. Indeed, once released, the number of the degrees of freedom related to possible changes is fixed; the adaptivity of each parameter can vary in a very limited range. As a result, usually almost all software present contents in exactly the same fashion to all users, without taking into account their attitudes (Vasilecas et al., 2006). Despite the incredible amount of effort spent in customizing higher-level interaction dynamics, there is still a substantial lack of attention to the inherent cognitive heterogeneity within the different psychological profiles of users.

In this paper, we focus on the design of adaptive learning applications, and we introduce a novel approach to user modeling considering perceptual, cognitive, and attitudinal characteristics. We also discuss a strategy for eliciting individuals' preferences using ambiguity as a resource.

Related work

Although in the last decades the scientific community of HCI experts enormously contributed to enhance dialogue with users, there have been few studies on the relationship between personality types and user interfaces. Moreover, most of the studies investigated this aspect in a one-directional fashion: usually, only the influence of users' attitudes on customization was taken into consideration. In contrast, empathic involvement with interfaces was not investigated. Indeed, there is poor attention to the mutual influence between

humans and machines, and to the synchronization dynamics that usually characterize interaction among individuals. A huge amount of work regarded the appearance of applications (e.g., skins and themes) rather than the style of content delivery (Brinkman, Fine, 2005). In Hazlett et al. (2008), perceived personality of typefaces in text presented onscreen is analyzed, with the aim of establishing the relationship between different font families (e.g., Sans-Serif, Script, Modern) and personality traits perceived by the user, in order to appropriately associate specific font faces to applications.

Adaptive and Intelligent Web-Based Educational System (AIWBES) have been introduced as tools that are able to manipulate information and to generate or assemble contents which accommodate the individual needs of each student (Sadat-Mohtasham, Ghorbani, 2008). Adaptive Presentation is the most explored technique in the context of Adaptive Hypertext and Hypermedia Systems. Its purpose is to adapt contents to the objectives of students according to the educational goals defined in each user profile. In Abrahamian et al. (2004), the authors present a study on the relationship between users' personality and the effectiveness of interfaces in the context of e-learning applications. They employ the Jungian model to distinguish the needs of different human types and they discuss the impact of the style of the information presentation layer on students' performances, showing a significant correlation. The results of studies about e-learning in the domain of Public Administration (Kim, Schniederjans, 2004) outline the relationship between attitudinal characteristics extracted from personality tests and the performance obtained from students. They point out that e-learning may be especially suitable for employees, and that it is not necessary for users to be abstract thinkers. Nonetheless, as individuals may differ, it may not be applicable to customer services, and it may not be effective in providing clients with an alternative access to knowledge-bases. Al-Dujaily and Ryu conclude that, as users respond differently to contents and structure, it is convenient to prepare learning material according to students' personality. They also detail how this may improve the performance of learning tasks (Al-Dujaily, Ryu, 2008).

Although several adaptive e-learning systems already contain mechanisms to provide personalized training through differentiated educational materials, interaction profiles are determined prior to any actual interaction with the specific end user. Indeed,

there have been too few studies on the relationship between personality and interfaces for e-learning, and further investigation is required. Moreover, the main drawback of the majority of adaptive applications (Ghaoui, Janvier, 2004) is the presence of a questionnaire for personality assessment. Nevertheless, such self-tests are under criticism because they are based on users' judgments, and consequently, they are prone to errors due to wrong perception of self.

A framework for including personality


In the context of conventional learning, the dialogue between teachers and students provides participants with the opportunity of a bidirectional modulation (either voluntary or involuntary) of the interaction style, in compliance with characteristics of the information being delivered. Usually, this approach ensures better performance of both teaching and learning. Contrarily, Learning Management Systems (LMS) rarely exploit the full potential offered by personalization, and they lack tools that achieve a complete user-tutor adaptation in terms of personality and co-development. With respect to this, in Advanced Distributed Learning (ADL) systems, adjustment is one-way only, from the user towards the application. Moreover, in this domain, the concepts of interactivity and adaptivity usually have a different connotation with respect to conventional training; they refer to the functional aspects of software, and to the structural organization of the course, rather than implementing the typical adaptive dynamics of person-to-person teaching. Furthermore, hypermedia published on the Internet (e.g., Wikipedia, HTML encyclopedias) offer a complete freedom of choice, and they give individuals full autonomy. As a result, in most cases, the teaching model is unstructured: it excludes the user, and it gradually leads to a chronic process of exclusion of the traditional preceptor-student approach to learning.

Our work aims at designing applications that are able to automatically adjust their behavior in relation to the mental state of users, changing their interactive attitude and adapting the syntactic structure of the information presentation layer to the semantic needs of the situation. This may allow ADL applications to achieve better performance more quickly. To this end, we designed a light-weight framework (see Figure 1) that incorporates psychological

dimensions of users as a crucial requisite for the reconfiguration of the information presentation layer. As a result, implemented e-learning tools will be able to automatically adjust the teaching style in accordance to the characteristics of users. They will organize contents specifically addressed to learning styles, and they will deliver information through the most appropriate multimedia display.

Our personality-aware framework for ADL consists of three components (see Figure 1): the Learning Content (i.e. Learning Objects such as texts, videos, animations, presentations, graphics), the Learning Container (i.e., the macroscopic structure of materials and the application itself), and the Learning Manager (i.e., the dynamic component of the system).

Figure 1. General overview of the architecture of the system



The former refers to modular informative resources; it includes conventional learning material (either aggregated contents or basic individual elements) marked with metadata containing attributes that describe the specific psychological attributes of their target audience. This is addressed through the cognitive, the perceptual, and the attitudinal dimensions. The Learning Container comprises structures that define the organization of the information presentation layer. It specifies both the high-level requirements of the interaction style and the goals of the course for each psychological dimension being considered. Basically, both the Learning Content and the Learning Container are static, in the sense that they are conceived as an archive of multimedia documents. On the contrary, the Learning Manager acts as a software agent for filtering contents upon the criteria specified by both the user model and the application designer. It handles the elicitation of individual's personality and manages the reconfiguration of the interface. Figure 3 describes the architecture of the system. In our design, e-learning tools are divided

into a premise and a course. The former delivers an introductory overview of the learning resources; it has low informative content. It is a replacement for the conventional psychological assessment: its objective is to offer users a carefully designed ambiguous choice of mutually exclusive material, in order to force them to express their personal attitude. Then, the Learning Manager infers the user's model from the preferences extracted from the premise, and it selects the most appropriate delivery strategy for Learning Content. Finally, it reconfigures the Learning Container to provide each student with a course consisting of information specifically addressed to his learning requirements, and it implements the most suitable presentation style to interact with his personality type. The proposed model has a modular structure, and its logic extends Brusilovsky's structure for adaptive hypermedia (Brusilovsky, Maybury, 2002).

In our framework, metadata play a crucial role as a language to express the semantics of resources, and in identifying both the Learning Content and the Learning Container. They have two main functions: they summarize the characteristics of the documents that are part of the application, and they represent the psychological dimensions of the potential target users for each informative resource. We employ an XML-based language to specify additional information on learning materials and to associate cognitive, perceptual and attitudinal attributes to them. Also, we define a simple syntax to include psychological dimensions into the modular organization of contents, and to represent the constituent atoms of learning units in a structure that can be processed by the Learning Manager. Annotations in the form of tags (see Figure 4) are used to associate a set of attributes to each Learning Content and to the Learning Container using the Audience tag. This element, which is also included in the IEEE LTSC Learning Object Metadata (LOM), describes the category of users to which contents are addressed (IEEE, 2002). We use the feature of this tag to specify the dimensions that represent the psychological aspects taken into consideration (i.e. cognitive, perceptual, and attitudinal). The tag measure identifies the assessment method being used, and the tag attribute indicates the specific category within each dimension. Each attribute is represented by a value normalized as a percentage. Also, we employ the Resource Description Framework (RDF) standard as the instrument to describe learning material and to associate

it with personality traits. As a result, the design of our system is compatible with the Sharable Content Object Reference Model (SCORM) (Dodds, 2006). In our design, the Learning Container maps the definition of Sharable Content Objects (SCO), as it refers to collections that represent a set of resources addressed to a specific educational goal. Atomic objects that are represented by learning resources (i.e., assets), single or aggregate, constitute Learning Content. However, as the focus of this paper is personality-awareness, further description of both the architecture of the framework and the implementation of the tool for specifying the interface will be detailed in a follow-up paper.

User model

The challenge of connecting learning behavior to personality consists in finding relationships between learning styles, perceptual preferences and personality types, and to include them in a reference user model. This in turn may be exploited to establish a more effective style of communication to interact with the student. Figure 2 depicts the conceptualization of the psychological dimensions considered for the Learning Container and the Learning Content. As all of them contribute to represent the learner, the user model incorporates such aspects in our design. With respect to the perceptual and the cognitive profiles, several psychological theories were developed, offering many different perspectives on individuals. Although there are several scales based on psychological theories (e.g., multiple intelligences, sensor modality, and information processing dynamics) that specify the different dimensions to be considered, a matching between the various tools is not possible, and thus a standardized comprehensive reference of all theories is unpractical.

For the purpose of our study, we focus on Kolb's Experiential Learning theory (Kolb et al., 2000), which is based on Jung's theory of types, to realize the mapping between personality traits and learning style. In Kolb's theory, learning is a four-stage cyclic process that can be started from any point (see Figure 2). Each stage requires different skills and involves specific features. Kolb's model can be represented on two perpendicular axes: the horizontal (which is the continuum of information processing, and it describes the approach to the experience), and the vertical (which is the continuum of perception, and identifies the acquisition of information). Jungian dimension of extraversion and

introversion directly correlates with Kolb's east-west axis, which refers to active experimentation and reflective observation. Conversely, Jungian thought and feeling, identifying emotional involvement, are associated to the north-south axis of concrete experience and abstract conceptualization. Kolb's taxonomy of learning styles (i.e., diverger, assimilator, converger, and accommodator) is the result of the combination of the preferential ability of individuals in managing different learning skills, and they reflect semantic pathways exploited by the learners' mind. Moreover, the sensing-intuition dimension (which refers to the way learners prefer to take information) and the judging-perceiving axis (which represents individuals' attitude to the external world) coincide with the continuums of information processing and perception, respectively. Kolb's model plays a crucial role because it integrates Jungian dimensions in an iterative process, and it links the theoretical framework of personality types (Myers, McCaulley, 1985) into a pragmatic learning environment.

Moreover, with respect to perceptual style, that is the privileged sensory channel employed for the acquisition of information, many delivery strategies are available. Thus, the application should comprise different representations for contents, according to the diversity of echoic, iconic and haptic users, referring to the auditory, the visual, and the empathic perception (respectively) characterizations of multimedia communication (McRitchie, 2005).




Figure 2. Kolb's ELT integrates Jungian dimensions (such as sensing, judging, and perceiving) and sensory channels in a theoretical framework that defines an iterative process for enhancing students' learning behavior

Figure 2 shows the mapping between Kolb's ELT, the VAK model, and Jungian personality dimensions. Although some people have a mixed and balanced blend of attitudes, usually, individuals have a dominant style that defines their personality, especially in learning (e.g., inductive or deductive). According to Kolb's ELT, regardless of the phase in which students start their experience (i.e., the preferred stage), all the other styles should be utilized to complete the learning process.

Reconfiguration strategy

Although inventories and questionnaires are widely utilized for psychological assessment, there are contrasting views about the reliability of self-reporting techniques (Caprara et al., 2000). Moreover, they might not be suitable for e-learning, as they introduce cognitive overhead, and individuals may feel uncomfortable with being tested. On the contrary, our system (see Figure 3) contains a preamble (i.e., a brief introduction) in which a carefully designed choice of different contents is presented on the screen in a mutually exclusive fashion (e.g., by showing resources on mouse over actions, and by blinding all other parts of the page). Thus, it is possible to track user's choices during the navigation. Features such as the time spent on each resource are evaluated, and contents' attributes (i.e., XML tags) are ranked according to users' preferences. Using this information, the Learning Manager disambiguates among learning styles, attitudes and perceptual preferences, and infers the user profile. Conversely, during the course (see Figure 3), the Learning Manager applies a reconfiguration strategy to the information presentation layer so that users are provided with different instructional materials (i.e., Learning Content) that are selected and assembled into the most suitable Template Learning Objects according to the learning preferences elicited in the preamble. For instance, the Learning Manager will provide introverted-visual convergers with a different template with respect to extraverted-auditory assimilators. Specifically, it will present a choice of materials in parallel, using a student-driven approach, to convergers. Conversely, it will propose a teacher-driven sequence of concrete examples starting from a theoretical model, in the case of assimilators. The objective of the system is two-fold: it aims at accommodating users' preferential styles and at improving their less utilized learning abilities. Therefore, the Learning Manages will modify the

organization of the course so that the learning experience will start from users' preferred stage. Nonetheless, the layout of each page will be selected in order to encompass contents that enhance all the other less developed characteristics of individual users.

Several methods are available to assess each specific dimension (i.e., Gardner's Multiple Intelligences, Benziger's Thinking Styles and Brain Dominance, Bloom's Taxonomy of Learning Domains) and a large number of tools can be implemented. Conversely, recognition of users' personality is more difficult if compared to other features, due to both the number of variables involved and for the inherent implicitness of such traits. In general, interaction with e-learning contents occurs in a Windows Icons Menu Pointing-device (WIMP) fashion, using only the mouse, and it requires very few keyboard operations. As a result, although lexical analysis is one of the most effective techniques for eliciting personality in chat applications, it is not suitable for e-learning because dialogue is limited and the available information is scarce. The trivial approach applied by many tools is to submit a personality test to students before the beginning of the course. However, this requires additional effort from the user and may introduce cognitive overhead.




Figure 3. In the complexity of the system, the Learning Manager plays the role of a filter that stresses the most appropriate resources from the contents' repository according to the model of the current user. Moreover, it reconfigures the information presentation layer of the learning container to provide learners with a delivery strategy which is specifically tailored for them

As an alternative opportunity, we explored the use of ambiguity in order to force expression of users' preferences. Indeed, applications, especially in learning contexts, should present contents in a clear and unequivocal fashion, to avoid confusion and frustration. Therefore, the course should not contain any source of confusion. Conversely, when content is not essential, a certain amount of noise can be added to the style of information presentation, and it may be useful to rely on the individual's ability to disambiguate among multiple interpretations, to force the user's decision, so that they reveal their own preference. Specifically, ambiguity is a property of the

interpretative relationship between people and artifacts (Gaver et al., 2003), and it may be exploited as a resource (if carefully addressed) to increase involvement and to require users to explicit their attitude towards interaction. In our design, the premise is composed using Learning Objects that include various multimedia resources. They are displayed in a mutually exclusive fashion (e.g., by revealing only one object at a time, while blinding others with an overlay), and the user must choose to focus on one of them.

As each resource r_1, r_2, \dots, r_n is identified by a type t (associated with a learning style and with a perceptual channel), at the end of the premise, the Learning Manager will be able to classify the user according to the preference assigned to each object, and calculated using a number of indicators r_1, r_2, \dots, r_f (e.g. time spent on the resource). The preference

$$p_t = \sum_{i=1}^n \sum_{j=1}^m f_j(r_{it})$$

is calculated as the linear combination of all the indicators collected for each resource. Once normalized, they represent the user's learning style and his main sensory channel, and they can be further processed to extract his personality using the model shown in Figure 3.

Several guidelines and patterns (Moallem, 2003) are available for associating contents with learning styles, and they can be implemented in the learning units of the course. However, in our design, the information presentation layer of the application is not defined a-priori. Conversely, when interacting with the user, the Learning Manager acquires student's personality both during the premise and throughout the course, in order to choose the most suitable material and to reconfigure the interface in real-time. Indeed, independently from the aspects being analyzed and the theories employed, the relationship between the user personality and the macro-structures of the personality-aware course can be also directly specified within the Learning Container, which is a Learning Object itself. Therefore, it can be identified with metadata, similarly to the Learning Content. Such modular structure allows the Learning Manager to reconfigure features such as Content selection, Presentation, Navigation, and Support in the whole application. Therefore, the Learning Manager analyzes metadata describing Learning Objects, and it applies Template Learning Objects (TLO) to link contents and to present them

in a personality-aware interface. As they are Learning Objects, TLOs can also be described with metadata containing additional specifications regarding the relationship between the content and the various psychological dimensions, as shown in Figure 4.

The purpose of TLOs is to aggregate atomic Learning Objects in a structure that provides users with an interface specifically designed for both their personality and their learning needs. To this end, data about perceptual channels determines the proportion of multimedia contents (e.g., images, audio, video); also, information about cognitive styles prescribe the most appropriate resource (e.g., diagrams, verbal explanations, examples); moreover, personality types specify the style of presentation (e.g. inductive or deductive, analytical, or practical, student or teacher driven). For instance, the Learning Manager will provide introverted-visual convergers with a different template with respect to extraverted-auditory assimilators. Specifically, it will present the former type of students with a choice of materials in parallel, using a student-driven approach. Conversely, in the second case, it will propose a teacher-driven sequence of concrete examples starting from a theoretical model.

```
<LO ID="LP_video_04" name="Loan procedure" type="video" URL="/videos/LP_video_04.flv">
...
<audience ...>
...
<measure dimension="cognitive" type="Kolb">
  <attribute type="Diverger">40</attribute>
  <attribute type="Assimilator">30</attribute>
</measure>
<measure dimension="attitudinal" type="MBTI">
  <attribute type="Introversion">70</attribute>
  <attribute type="Intuition">20</attribute>
  <attribute type="Feeling">10</attribute>
  <attribute type="Judging">40</attribute>
</measure>
<measure dimension="perceptual" type="VAK">
  <attribute type="Visual">90</attribute>
  <attribute type="Auditory">50</attribute>
  <attribute type="Kinesthetic">10</attribute>
</measure>
...
```

Figure 4. Example of metadata describing a video file. All the attributes in each psychological dimension (measure) are represented as a percentage, and they describe the characteristics of the learning content

The Learning Manager applies a content reconfiguration strategy that provides users with different instructional materials that take into account individuals' learning preferences. Nevertheless, at the same time, it diversifies the content presenting complementary information, in order to stimulate all the other skills. As a result, the reconfigured personality-aware interface accommodates several styles, and each TLO includes multiple Learning Objects: the main one and secondary others. Contrary to the premise, the objective

of the reconfiguration strategy during the course is integrating multiple materials. Therefore, the application interacts through different non-exclusive channels to enhance the other modes.

Conclusion

Cognitive theories affirm that, by including users' learning styles, perceptual preferences and personality types in e-learning applications, it is possible to establish a more effective communication with students. The solution discussed in the present paper incorporates users' diversity, and includes psychological dimensions in e-Learning applications. Moreover, it has a modular structure that extends Brusilovsky's model adaptive hypermedia. Furthermore, the proposed system is compatible the IEEE LTSC Learning Object Metadata (LOM) and with the Audience tag of the Sharable Content Object Reference Model (SCORM). Although we focused on e-learning, the collection of design patterns in our system can be applied to other domains without any change. The ultimate goal of our work is the development of a new generation of e-learning tools implementing virtual teachers based on empathetic agents that emulate humans. Moreover, such systems might be employed in the context of ambient assistive living, to provide company or assistance to the elderly or to subjects with impaired mobility.

References

Abrahamian Edmond, Weinberg Jerry, Grady Michael, Stanton C. Michael (2004), *The effect of personality-aware computer-human interfaces on learning*, "Journal Of Universal Computer Science", V. 10, n. 1, pp. 27-37

Al-Dujaily Amal, Ryu Hokyoung (2008), *A Study on Personality in Designing Adaptive e-Learning Systems*. Proceedings of the 2008 Eighth IEEE international Conference on Advanced Learning Technologies ICALT, Santander, Cantabria, Spain, 01 - 05 July 2008, IEEE Computer Society, Washington, USA, pp. 136-138, <http://dx.doi.org/10.1109/ICALT.2008.114>

Brinkman Willem-Paul, Fine Nick (2005), *Towards customized emotional design: an explorative study of user personality and user interface skin preferences*. Proceedings of the Annual Conference on European Association of Cognitive Ergonomics, Chania, Greece, September 29 - October 01, 2005, ACM International Conference Proceeding Series, V. 132, pp. 107-114

Brusilovsky Peter, Maybury Mark T. (2002), *From adaptive hypermedia to the adaptive web*, "Communications of the ACM", V. 45, n. 5, pp. 30-33, <http://doi.acm.org/10.1145/506218.506239>

Costabile Maria Francesca, Piccinno Antonio, Fogli Daniela, Marcante Andrea (2006), *Supporting interaction and co-evolution of users and systems*. Proceedings of the Working Conference on Advanced Visual interfaces AVI '06, Venezia, Italy, 23-26 May 2006, ACM, New York, NY, pp. 143-150, <http://doi.acm.org/10.1145/1133265.1133294>

Dodds Philipp (2006), *Advanced Distributed Learning, Sharable Content Object Reference Model (SCORM)®*, AdvancedDistributedLearning

Gaver William, Beaver Jacob, Benford Steve (2003), *Ambiguity as a resource for design*. Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI '03, Lauderdale, Florida, USA, 05 - 10 April 2003. ACM, New York, USA, pp. 233-240, <http://doi.acm.org/10.1145/642611.642653>

Ghaoui Claude, Janvier William A. (2004), *Interactive E-Learning*, "International Journal of Distance Education Technologies", V. 2, n. 3, pp. 26-35

Hazlett Richard, Larson Kevin, Shaikh A. Dawn, Chaparo Barbara (2008), *The Instant Impact of Onscreen Aesthetics: The Effects of Typeface Personality*. Proceedings of the International Conference on Computer Human Interaction CHI, Florence, Italy, 5-10 April 2008

IEEE (2002), *Standard for Learning Object Metadata*, <http://ltsc.ieee.org/wg12>

Kim Eyong B., Schniederjans Marc J. (2004), *The role of personality in Web-based distance education courses*, "Communications of the ACM", V. 47, n. 3, pp. 95-98, <http://doi.acm.org/10.1145/971617.971622>

Kolb David, Boyatzis Richard, Mainemelis Charalampos (2000), *Experiential learning theory: Previous research and new directions*, in Sternberg Robert, Li-fang Zhang, *Perspectives on cognitive, learning, and thinking styles*, pp.1-40

McRitchie Karen (2005), *Navigating the great learning barrier reef: active training ideas to make learning fun!* Proceedings of the 33rd Annual ACM SIGUCCS Conference on User Services, Monterey, CA, USA, 06 – 09 November 2005, ACM, New York, USA, pp. 224-227, <http://doi.acm.org/10.1145/1099435.1099486>

Moallem Mahnaz (2003), *Applying learning styles in an online course*, "Academic Exchange Quarterly" V.7, n. 4, pp. 209-215

Myers Isabel, McCaulley Mary (1985), *Manual: A guide to the development and use of the Myers-Briggs Type Indicator*, Palo Alto, CA, USA, Consulting Psychologists Press

Sadat-Mohtasham S. Hossein, Ghorbani Ali A. (2008), *A language for high-level description of adaptive web systems*, "Journal of System and Software", V. 81, n. 7, pp. 1196-1217, <http://dx.doi.org/10.1016/j.jss.2007.08.033>

Vasilecas Olegas, Eder Johann, Caplinskas Albertas (2006), *Databases and Information Systems IV*. Selected Papers from the Seventh International Baltic Conference, DB&IS 2006, Vilnius, Lithuania, 3-6 July 2006

Weinberg Jerry B. , Stephen Mary (2002), *Participatory design in a human-computer interaction course: teaching ethnography methods to computer scientists*. Proceedings of the 33rd SIGCSE Technical Symposium on Computer Science Education⁰², Cincinnati, Kentucky, February 27-March 03, 2002, ACM, New York, NY, pp. 237-241, <http://doi.acm.org/10.1145/563340.563431>

Sintesi

Nonostante le potenzialità degli “Adaptive and Intelligent Web-Based Systems”, attualmente, la quasi totalità dei sistemi software per l'e-learning propongono i contenuti esattamente nello stesso modo a tutti gli utenti, senza prendere in considerazione i differenti stili di apprendimento di ciascuno di essi. In questo articolo, introduciamo un nuovo approccio allo sviluppo di sistemi per l'e-learning, basato su un modello che include le caratteristiche psicologiche individuali e che permette di adattare la presentazione delle informazioni alle esigenze cognitive, percettive e attitudinali di ciascun utente.

Uno dei prerequisiti per la progettazione di interfacce è la profonda conoscenza delle diverse caratteristiche degli utenti finali. Tuttavia, generalmente la necessità di standardizzare il processo di sviluppo pone in secondo piano le potenzialità offerte dalla personalizzazione del linguaggio dell'interazione. Nei contesti di apprendimento tradizionale, insegnanti e studenti instaurano un dialogo basato sulla continua modulazione bidirezionale dello stile di comunicazione in relazione alle informazioni che vengono scambiate tra i partecipanti e alle caratteristiche degli interlocutori. Questo approccio, sia esso intenzionale o involontario, permette un insegnamento e un apprendimento più efficaci. Al contrario, i Learning Management Systems (LMS) non sfruttano appieno le potenzialità offerte dalla personalizzazione e raramente implementano meccanismi di co-evoluzione utente-sistema. Generalmente, l'apprendimento digitale implica un adattamento a senso unico, dagli utenti verso l'applicazione.

Il nostro lavoro ha lo scopo di introdurre strumenti per la progettazione di applicazioni di e-learning “personality-aware” che siano in grado di adattare in tempo reale il livello di presentazione dei contenuti, ovvero la componente dell'interfaccia che più strettamente riguarda l'organizzazione sintattica e semantica del materiale didattico e la modalità di interazione tra l'utente e le informazioni. A tal fine, proponiamo un framework che incorpora le dimensioni psicologiche tra i requisiti fondamentali per la riconfigurazione del livello di presentazione delle informazioni. L'obiettivo finale è la realizzazione di piattaforme di e-learning che siano in grado di modulare automaticamente lo stile di insegnamento in relazione alle caratteristiche degli utenti, selezionando i contenuti in relazione ai requisiti psicologici individuali e organizzando opportunamente il modo in cui proporli a ciascun discente.

Il framework è costituito da tre componenti: i Learning Contents, il Learning Container, e il Learning Manager. La prima componente comprende le risorse (elementari o aggregate) di cui si compone il materiale didattico, ovvero i Learning Objects (come testi, video, animazioni, presentazioni, grafici), a cui mediante l'uso di metadati è assegnata una “posizione” all'interno di uno spazio individuato dalle dimensioni psicologiche considerate. Il Learning Container rappresenta l'organizzazione

strutturale ad alto livello del corso e identifica gli obiettivi formativi e interattivi del materiale didattico per ogni dimensione psicologica in esame. Infine, il Learning Manager (la componente dinamica e intelligente del sistema) si occupa di identificare il profilo psicologico dell'utente e di riconfigurare il Learning Container e i Learning Contents in relazione ai requisiti cognitivi, percettivi e attitudinali, dando vita a uno stile più efficace di comunicazione per interagire con lo studente.

La sfida principale consiste proprio nel trovare una relazione coerente tra stili di apprendimento, preferenze percettive e personalità. Nel presente lavoro si fa riferimento all'Experiential Learning Theory di Kolb, in cui l'apprendimento è un processo ciclico organizzato in quattro stili cognitivi. Il modello di Kolb, espressamente studiato per contesti educativi e ampiamente applicato nell'apprendimento tradizionale, fornisce un collegamento consistente sia con le dimensioni junghiane di estroversione e introversione che con gli studi sui canali percettivi basati sulla classificazione in visivo, uditivo e cinestesico.

Tali dimensioni vengono implementate in un sistema intelligente di apprendimento digitale costituito da due parti, una preliminare e una formativa. Nella fase preliminare, che ha basso contenuto informativo, il Learning Manager analizza l'attività dell'utente e inferisce la preferenza rispetto ai Learning Content mostrati in maniera mutuamente esclusiva. Ciò permette di associare a ciascun utente una posizione in uno spazio psicologico (definito dalle dimensioni cognitive, percettive e attitudinali) espressa come combinazione lineare delle caratteristiche di ciascuna risorsa. Nella seconda parte, il sistema assembla i Learning Content e il Learning Container e riconfigura il livello di presentazione dei contenuti in base al profilo dell'utente. L'obiettivo del framework è duplice: si propone di rendere più immediato ed efficace l'apprendimento tramite l'uso preferenziale dello stile dell'utente, e contestualmente, di potenziare gli stili meno utilizzati. Il sistema proposto, che si basa su tre teorie psicologiche consolidate, è compatibile con gli attuali modelli di Blended Learning. Arricchire il dialogo adattando lo stile di interazione delle applicazioni di e-learning rispetto ai requisiti cognitivi, percettivi e attitudinali, potrebbe consentire di migliorare le performance dell'apprendimento, ricreando le dinamiche docente-discente che caratterizzano la tradizionale formazione in presenza.

